

**СПИСЪК НА ЦИТИРАНИЯТА НА ГЛ. АС. Д-Р СТАНИСЛАВА
ПЕЙЧЕВА ПЕЕВА**

съгласно Приложение 8.1.

(Минимални национални и допълнителни изисквания към научната и преподавателската дейност на кандидатите за придобиване на научна степен и за заемане на академичните длъжности "главен асистент", "доцент" и "професор" по научни области и/или професионални направления към 15.11.2021 г)

Цитирана статия:	Цитирано в:	ТОЧКИ
Hisano M., E. Raichev, S. Peeva, D. Georgiev, H. Tsunoda, R. Masuda, Y. Kaneko, 2014. Notes on autumn-winter stomach contents of the stone marten (<i>Martes foina</i>) in the Balkan mountains, Central Bulgaria. <i>Zoonotes</i> , 56: 1-6.	<p>1. Dudin G., 2017. On the daily activity of the Red Fox (<i>Vulpes vulpes</i>) in two village areas of Bulgaria: a case study. <i>ZooNotes</i> 115: 1-4.</p> <p>2. Kirilov K., 2020. Study on Carrion Sharing Between the Golden Jackal (<i>Canis aureus</i> Linnaeus, 1758) and Sympatric Scavengers Over the Winter Period in Central Bulgaria using Camera Trapping. <i>Ecologia Balkanica</i>, 12(2): 77-86 SJR=0.14 Q4</p>	30
Peeva S., 2015. Study of places, related to the marking reflex of the stone marten (<i>Martes foina</i> Erxl). <i>Trakia Journal of Sciences</i> , 13(2): 315-320.	<p>1. Dudin G., 2017. On the daily activity of the Red Fox (<i>Vulpes vulpes</i>) in two village areas of Bulgaria: a case study. <i>ZooNotes</i> 115: 1-4.</p> <p>2. Raichev E., 2018. Determination of Stone marten (<i>Martes foina</i>) and Pine marten (<i>Martes martes</i>) in natural habitats using camera traps. <i>Agricultural science and technology</i>, 10(2): 160-163.</p>	30
Peeva S., E. Raichev, 2016. Stone marten (<i>Martes foina</i> , Erxl., 1777) and villagers: Human-wildlife social conflict. <i>Agriculture science and technology</i> , 8(2): 158-161.	Dudin G., 2017. On the daily activity of the Red Fox (<i>Vulpes vulpes</i>) in two village areas of Bulgaria: a case study. <i>ZooNotes</i> 115: 1-4.	15
Hisano M., E. Raichev, S. Peeva, H. Tsunoda, C. Newman, R. Masuda, D. Georgiev, Y. Kaneko, 2016. Comparing the summer diet of stone marten (<i>Martes foina</i>) in urban and natural habitats in Central Bulgaria, <i>Ethology Ecology & Evolution</i> , 28: 295-311.	<p>1. Dudin G., 2017. On the daily activity of the Red Fox (<i>Vulpes vulpes</i>) in two village areas of Bulgaria: a case study. <i>ZooNotes</i> 115: 1-4.</p> <p>2. Franck A., A. Farid, 2020. Many species of the Carnivora consume grass and other fibrous plant tissues. <i>Belgian</i></p>	60

	<p><i>Journal of Zoology</i>, 150: 1–70. SJR=0.36 Q2 IF= 0.607</p> <p>3. Gilby B., C. Henderson, A. Olds, J. Ballantyne, E. Bingham, B. Elliott, T. Jones, O. Kimber, J. Mosman, T. Schlacher, 2021. Potentially negative ecological consequences of animal redistribution on beaches during COVID-19 lockdown. <i>Biological Conservation</i> 253 (2021) 108926 SJR=2.15 Q1 IF= 4.711</p> <p>4. Fonda F., G. Chiatante, A. Meriggi, A. Mustoni, M. Armanini, A. Mosini, A. Spada, M. Lombardini, D. Righetti, M. Granata, E. Capelli, R. Pontarini, G. Poignant, A. Balestrieri, 2021. Spatial distribution of the pine marten (<i>Martes martes</i>) and stone marten (<i>Martes foina</i>) in the Italian Alps. <i>Mammalian Biology</i> DOI: 10.1007/s42991-020-00098-8 SJR=0.79 Q2 IF= 1.595</p>	
<p>Raichev E., S. Peeva, R. Masuda, Y. Kaneko, H. Tsunoda, D. Georgiev, D. Georgiev, 2017. Sexual dimorphism in body parameters of the golden jackal <i>Canis aureus</i> L., 1758 (<i>Carnivora, Canidae</i>) in the Sarnena Sredna Gora Mountain and Thracian plain (Bulgaria). <i>Trakia Journal of Sciences</i>, № 2, pp. 135-140.</p>	<p>1. Andru J., N. Ranc, M. Guinot-Ghestem, 2017. Status, Biologie, Ecologie et Gestion d'une espece de canides en rapide expansion en Europe: Le chacal dore, <i>Canis aureus</i> (Linnaeus, 1758). <i>Office National de la Chasse et de la Faune Sauvage (ONCFS), MTES-DEB-PEM2 et DREAL AURA</i>, pp. 1-76.</p> <p>2. Stoyanov S., 2020. Body morphometrics of Golden jackal in Bulgaria. <i>Forestry ideas</i>, vol. 26, No 1 (59): 46–64 Q4 SJR 2020=0.17</p> <p>3. Hatlauf J., L. Krendl, J. Tintner, P. Griesberger, M. Heltai, G. Markov, S. Viranta, K. Hackländer, 2021. The canine counts! Significance of a craniodental measure to describe sexual dimorphism in canids: Golden jackals (<i>Canis aureus</i>) and African wolves (<i>Canis lupaster</i>). <i>Mammalian Biology</i> IF 2019-2020=1.595 Q2 SJR 2020=0.77 DOI: 10.1007/s42991-021-00133-2</p> <p>4. Stefanović M., D. Ćirović, N. Bogdanović, F. Knauer, M. Heltai, L. Szabó, J. Lanszki, Ch. Zhelev, H.</p>	<p>50</p>

	Schaschl, F. Suchentrunk, 2021 . Positive selection on the MHC class II DLA-DQA1 gene in golden jackals (<i>Canis aureus</i>) from their recent expansion range in Europe and its effect on their body mass index. <i>BMC Ecology and Evolution</i> , (2021) 21:122.	
Kaneko Y., C. Newman, E. Raichev, S. Kosuga, S. Yachimori, M. Saito, Y. Kuramoto, S. Peeva , C. Buesching, 2017 . Olfactory speciation in Eurasian badgers <i>Meles</i> spp.: diversity of subcaudal chemicals and behavioural experiments. <i>Talk at the 14th Meeting of the Chemical Signals in Vertebrates Group</i>	Kollikowski A., S. Jeschke, U. Radespiel, 2020 . Experimental Evaluation of Spontaneous Olfactory Discrimination in Two Nocturnal Primates (<i>Microcebus murinus</i> and <i>M. lehilahytsara</i>). <i>Chemical Senses</i> 45(7). SJR=0.86 Q3 IF 2019/2020= 2.261	15
Tsunoda H., K. Ito, S. Peeva , E. Raichev, Y. Kaneko, 2018 . Spatial and temporal separation between the golden jackal and three sympatric carnivores in a human-modified landscape in central Bulgaria. <i>Zoology and Ecology</i> , 28(3): 172-179. doi: 10.1080/21658005.2018.1504406 SJR=0.24	1. Khatoon R., T. Mehmood, M. Anwar, U. Habiba, L. Eggert, M. Gompper, 2019 . A field and laboratory-based assessment of the distribution of large-and meso-carnivore species in the newly established Murree, Kotli Sattian, and Kahuta National Park, Pakistan, <i>Mammal Research</i> , doi: 10.1007/s13364-019-00428-3. SJR=0.7 Q1 2. Seveque A., L. Gentle, J. Lopez-Bao, R. Yarnell, A. Uzal, 2020 . Human disturbance has contrasting effects on niche partitioning within carnivore communities. <i>Biological Reviews</i> doi: 10.1111/brv.12635 SJR 2019=4.97 Q1 IF 2018-2019= 10.288 3. Halász, T.; Nagy, G.; Nagy, I.; Csivincsik, Á., 2021 . Micro Epidemiological Investigation of <i>Echinococcus multilocularis</i> in Wild Hosts from an Endemic Area of Southwestern Hungary. <i>Parasitologia</i> , 1,158–167.	45
Peeva S. , A. Mikov, D. Georgiev, 2018 . On the Arthropods in the Stone Marten's (<i>Martes foina</i>) diet in Central Bulgaria. <i>ZooNotes</i> ,121: 1-3.	Hisano M., 2019 . Insectivory characteristics of the Japanese marten (<i>Martes melampus</i>): A qualitative review. <i>Zoology and Ecology</i> , 29(1)	15
Georgiev D., E. Raichev, L. Dospataliev, S. Kalcheva, K. Georgieva, M. Ivanova, S. Peeva , 2018 . Heavy metals concentration in organs of red foxes	Farcas A., Bidlo A., Bolodar-Varga B., Janoska F., 2021 . Accumulation of selected metals and concentration of macroelements in liver and kidney tissues	15

<p>(<i>Vulpes vulpes</i> Linnaeus, 1758) and golden jackals (<i>Canis aureus</i> Linnaeus, 1758) inhabiting the Sarnena Sredna gora mountain in Bulgaria. <i>Bulgarian Journal of Agricultural Science</i>, 24 (supplement 1), 119-124 SJR=0.223</p>	<p>of sympatric golden jackal (<i>Canis aureus</i>) and red fox (<i>Vulpes vulpes</i>) in Somogy County, Hungary. <i>Environmental Science and Pollution Research</i>. doi10.1007/s11356-021-15156-y SJR= 0.85 Q2 IF= 4.223</p>	
<p>Zhelyazkov G., D. Georgiev, S. Peeva, S. Kalcheva, K. Georgieva, 2018. Chemical composition and levels of heavy metals in fish meat of the <i>Cyprinidae</i> family from Zhrebchevo Dam, Central Bulgaria. <i>Ecologia Balkanica</i>, 10(2): 133-140. Q4 SJR 2018= 0.1</p>	<p>Mijosek T., V. Marijic, Z. Dragun, D. Ivankovic, N. Krasnici, Z. Redzovic, M. Erk, 2021. Intestine of invasive fish Prussian carp as a target organ in metal exposure assessment of the wastewater impacted freshwater ecosystem. <i>Ecological Indicators</i>, 122 (2021) 107247. SJR= 1.33 Q1 IF 2019-2020= 4.229</p>	15
<p>Peeva S., 2019. Sexual size dimorphism in Stone marten (<i>Martes foina</i>, Erxl. 1777) from Sarnena Sredna gora Mts (Bulgaria). <i>Trakia journal of sciences</i>, 17(4): 318-322.</p>	<p>Ozen A., 2020. Sexual dimorphism and variability in the skull of <i>Martes foina</i>. <i>Animal Biology</i>, 70(4): 373- 383. Q2 IF 2019= 1.204</p>	15
<p>Tsunoda H. C. Newman, S. Peeva, E. Raichev, C. Buesching, Y. Kaneko, 2020. Spatio-temporal partitioning facilitates mesocarnivore sympatry in the Stara Planiana Mountains, Bulgaria. <i>Zoology</i>, 141(2020)125801. IF=1.77 Q1 SJR 2019= 0.87</p>	<p>1. Viviano A., E. Mori, N. Fattorini, G. Mazza, L. Lazzeri, A. Panichi, L. Strianese, W. Mohamed, 2021. Spatiotemporal overlap between the European brown hare and its potential predators and competitors. <i>Animals</i>, 11(2),562 SJR= 0.6 Q1 IF= 2.323 2. Ruiz-Villar H., F. Jubete, E. Revilla, J. Román, F. Urra, J. López-Bao, F. Palomares, 2021. Like cat and fox: diurnal interactions between two sympatric carnivores in pastoral landscapes of NW Spain. <i>European Journal of Wildlife Research</i>, 67(16) SJR= 0.63 Q2 IF= 1.381</p>	30
<p>Общо</p>		335

15.11.2021 г.
Стара Загора

ИЗГОТВИЛ:.....
/гл. ас. д-р. Ст. Пеева/